



WCAG 2.1 Level AA Success Criteria

COMPLIANCE AUDIT

For www.elpomar.org | Verdict: **Compliant**

This audit evaluates the adherence level of www.elpomar.org as of Wed Sep 06 2023, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	7	0	100%

Successful Elements

```
<button class="cky-btn cky-btn-customize " aria-label="Customize" data-cky-tag="settings-button" style="undefined;background-color:transparent;border-color:#1863dc;background-color:#ffffff!important" role="button" data-acsb-original-style="color:..."
```

```
<button class="cky-btn cky-btn-reject " aria-label="Reject All" data-cky-tag="reject-button" style="undefined;background-color:transparent;border-color:#1863dc;background-color:#ffffff!important" role="button" data-acsb-original-style="color:#186..."
```

```
<button class="cky-btn cky-btn-accept " aria-label="Accept All" data-cky-tag="accept-button" style="undefined;background-color:#1863dc;border-color:#1863dc;background-color:#ffffff!important" role="button" data-acsb-original-style="color:#FFFFFF;..."
```

```
<a href="#" data-gt-lang="en" class="glink nturl notranslate gt-current-lang " data-acsb-hover="true" role="button"><span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!important;color:#000000!important;"> English <...</span></a>
```

```
<a href="#" data-gt-lang="es" class="glink nturl notranslate " data-acsb-hover="true" role="button"><span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!important;color:#000000!important;"> Spanish </span><img loadi...</a>
```

```
<button data-qe-id="form-button" type="submit" class="ctct-form-button " role="button" style=";background-color:#ffffff!important;color:#000000!important;">Sign up</button>
```

```
<a class="elementor-element elementor-element-139e8cd e-con-full toTop z-second ratio-one-to-one elementor-hidden-mobile e-flex default section-default-pad e-con " data-id="139e8cd" data-element_type="container" data-settings="{&quot;content_width&quot;...">
```

2 Buttons should include text explaining their

Yes

7

0

100%

functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.

Successful Elements

```
<button class="cky-btn cky-btn-customize " aria-label="Customize" data-cky-tag="settings-button" style="undefined;background-color:transparent;border-color:#1863dc;background-color:#ffffff!important" role="button" data-acsb-original-style="color:...
```

```
<button class="cky-btn cky-btn-reject " aria-label="Reject All" data-cky-tag="reject-button" style="undefined;background-color:transparent;border-color:#1863dc;background-color:#ffffff!important" role="button" data-acsb-original-style="color:#186...
```

```
<button class="cky-btn cky-btn-accept " aria-label="Accept All" data-cky-tag="accept-button" style="undefined;background-color:#1863dc;border-color:#1863dc;background-color:#ffffff!important" role="button" data-acsb-original-style="color:#FFFFFF;...
```

```
<a href="#" data-gt-lang="en" class="glink nturl notranslate gt-current-lang " data-acsb-hover="true" role="button"><span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!important;color:#000000!important;"> English <...</a>
```

```
<a href="#" data-gt-lang="es" class="glink nturl notranslate " data-acsb-hover="true" role="button"><span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!important;color:#000000!important;"> Spanish </span><img loadi...
```

```
<button data-qe-id="form-button" type="submit" class="ctct-form-button " role="button" style=";background-color:#ffffff!important;color:#000000!important;">Sign up</button>
```

```
<a class="elementor-element elementor-element-139e8cd e-con-full toTop z-second ratio-one-to-one elementor-hidden-mobile e-flex default section-default-pad e-con " data-id="139e8cd" data-element_type="container" data-settings="{&quot;content_width&quot;...
```

expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.

Successful Elements

```
<a class="elementor-button elementor-button-link elementor-size-sm" href="/durl/2022-annual-report/" target="_blank" rel="nofollow" data-acsb-tooltip="New Window" > <span class=" " data-="true" " aria-hidden="false" style=";background-color:...
```

```
<a href="https://www.elpomar.org/contact-us/" data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use </> to navigate"> <span class="elementor-icon-list-text " style=";background-color:#ffffff!important;color:#000000!...
```

```
<a href="https://www.elpomar.org/contact-us/career-opportunities/" data-acsb-menu="a" data-acsb-menu-root-link="true"> <span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!important;color:#000000!importa...
```

```
<a href="https://www.elpomar.org/blog/" data-acsb-menu="a" data-acsb-menu-root-link="true"> <span class="elementor-icon-list-text " style=";background-color:#ffffff!important;color:#000000!important;">Foundation News & mp; Articles</sp...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm " href="/about-us/" target="_blank" data-acsb-tooltip="New Window" style=";background-color:#ffffff!important;color:#000000!important;"> <span data-="true" " aria-hidden="fa...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm " href="/grant-making/" target="_blank" data-acsb-tooltip="New Window" style=";background-color:#ffffff!important;color:#000000!important;"> <span data-="true" " aria-hidden...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm" href="#elementor-action%3Aaction%3Dlightbox%26settings%3DeyJ0eXBliJoidmlkZW8iLCJ2aWRlb1R5cGUiOiJ5b3V0dWJlIiwidXJsIjoiaHR0cHM6XC9cL3d3dy55b3V0dWJlLmNvbVwvZW1iZWRCcL2RWcmlM2dks1ZUwwP2ZlY...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm" href="https://www.elpomar.org/about-us/our-history/" > <span class="elementor-button-content-wrapper"> <span class="elementor-button-text " style=";background-color:#ff...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm" href="https://www.elpomar.org/penrose-house/" > <span class="elementor-button-content-wrapper"> <span class="elementor-button-text " style=";background-color:#ffffff!im...
```

```
<a href="https://www.elpomar.org/About-Us/museum-and-legacy-properties/will-rogers-shrine-of-the-sun/" data-acsb-scrape-url="https://elpomar.org/About-Us/museum-and-legacy-properties/will-rogers-shrine-of-the-sun/"><picture decoding="async" fetchp...
```

Failed Elements

```
<a class="elementor-icon" href="JavaScript:void(0);" data-acsb-force-unavailable="true" tabindex="-1" > <svg xmlns="http://www.w3.org/2000/svg" width="32" height="32" viewBox="0 0 32 32" aria-hidden="true" data-acsb-force-hidden="true"><g id="Gr...
```

-
- 4 [Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.](#)

Yes

10

0

100%

Successful Elements

```
<a class="elementor-button elementor-button-link elementor-size-sm" href="/durl/2022-annual-report/" target="_blank" rel="nofollow" data-acsb-tooltip="New Window" > <span class=" " data-="true" " aria-hidden="false" style=";background-color:...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm " href="/about-us/" target="_blank" data-acsb-tooltip="New Window" style=";background-color:#ffffff!important;color:#000000!important;"> <span data-="true" " aria-hidden="fa...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm " href="/grant-making/" target="_blank" data-acsb-tooltip="New Window" style="background-color:#ffffff!important;color:#000000!important;"> <span data-="true" " aria-hidden...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-face book-square elementor-repeater-item-f081c55 " href="https://www.facebook.com/elpomarfoundation" target="_blank" data-acsb-tooltip="New Window" data-acsb-hover="true" style=";...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-instagram elementor-repeater-item-5dba960 " href="https://www.instagram.com/el_pomar" target="_blank" data-acsb-tooltip="New Window" data-acsb-hover="true" style=";background-col...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-linkedin elementor-repeater-item-fea9b8f " href="https://www.linkedin.com/company/el-pomar-foundation/" target="_blank" data-acsb-tooltip="New Window" data-acsb-hover="true" styl...
```

```
<a href="https://goo.gl/maps/oCLEBzcdJT7S1Q8s8" target="_blank" data-acsb-tooltip="New Window" data-acsb-hover="true" style=";background-color:#ffffff!important;color:#000000!important;"><span class=" " data-="true" " aria-hidden="false" style="...
```

```
<a href="tel://719.633.7733" target="_blank" data-acsb-tooltip="New Window" data-acsb-hover="true" style=";background-color:#ffffff!important;color:#000000!important;"><span class=" " data-="true" " aria-hidden="false" style=";background-color:#...
```

```
<a href="https://goo.gl/maps/5dAMuVMnQbqiV5jz5" target="_blank" data-acsb-tooltip="New Window" data-acsb-hover="true" style=";background-color:#ffffff!important;color:#000000!important;"><span class=" " data-="true" " aria-hidden="false" style="...
```

```
<a href="/sitemap_index.xml" target="_blank" rel="nofollow" data-acsb-tooltip="New Window" data-acsb-menu="a" data-acsb-menu-root-link="true"> <span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!importa...
```

should have exact, one title.

Successful Elements

```
<h1 class="elementor-heading-title elementor-size-xl " role="heading" aria-level="1" style=";background-color:#ffffff!important;color:#000000!important;">Grant making and beyond</h1>
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	8	0	100%
7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	Yes	7	0	100%

Successful Elements

```
<span class="elementor-heading-title elementor-size-xl " role="heading" data-acsb-fake-title="true" aria-level="2">Celebrating 85 years of philanthropy</span>
```

```
<span class="elementor-heading-title elementor-size-xl " role="heading" data-acsb-fake-title="true" aria-level="2">Empowering communities, nonprofits, and leaders</span>
```

```
<span class="elementor-heading-title elementor-size-default " role="heading" data-acsb-fake-title="true" aria-level="4" style=";background-color:#ffffff!important;color:#000000!important;">History of El Pomar</span>
```

```
<span class="elementor-heading-title elementor-size-default " role="heading" data-acsb-fake-title="true" aria-level="4">El Pomar Foundation</span>
```

```
<span class="elementor-heading-title elementor-size-small " role="heading" data-acsb-fake-title="true" aria-level="3">Penrose House</span>
```

```
<span class="elementor-heading-title elementor-size-default " role="heading" data-acsb-fake-title="true" aria-level="4">Quicklinks</span>
```



```
<span class="elementor-heading-title elementor-size-default " role="heading" data-acsb-fake-title="true" aria-level="4">Join our newsletter</span>
```

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	0	0	-
9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	3	0	100%

Successful Elements

```
<div role="button" aria-label="Previous slide" class="elementor-element elementor-element-7c490cea voidMe carouselPrev elementor-view-default elementor-widget elementor-widget-icon" data-id="7c490cea" data-element_type="widget" data-widget_type="icon...
```

```
<div role="button" aria-label="Next slide" class="elementor-element elementor-element-14861f52 voidMe carouselNext elementor-view-default elementor-widget elementor-widget-icon" data-id="14861f52" data-element_type="widget" data-widget_type="icon.def...
```

```
<div role="button" class="elementor-element elementor-element-39892a00 elementor-button-c-warning None None default none none elementor-widget elementor-widget-button" data-id="39892a00" data-element_type="widget" data-widget_type="button.default" t...
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog". so	No	0	0	-

12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100%
13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	3	0	100%

Successful Elements

```
<ul class="elementor-icon-list-items elementor-inline-items" data-acsb-menu="ul" > <li class="elementor-icon-list-item elementor-inline-item" data-acsb-menu="li" data-acsb-menu-root="true" data-acsb-hover="true" > <a href="https://...
```

```
<ul class="elementor-icon-list-items" data-acsb-menu="ul" > <li class="elementor-icon-list-item" data-acsb-menu="li" data-acsb-menu-root="true" data-acsb-hover="true" > <a href="https://www.elpomar.org/contact-us/" data-acsb-men...
```

include an "aria-haspopup" attribute that equals to "true".

17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	0	-
18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	1	2	33%

Successful Elements

```

```

Failed Elements

```

```

```

```

19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-
20	Font icons, SVG or images that are being used as page decorations or their	Yes	44	0	100%

content should include a "role" attribute that equals to "presentation" or "none".

Successful Elements

```
<i class="cky-chevron-right" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<span class="cky-footer-shadow " style="background: linear-gradient(rgba(255, 255, 255, 0) 0%, rgb(255, 255, 255) 100%);background-color:#ffffff!important;color:#000000!important;" aria-hidden="true" data-acsb-force-hidden="true" data-acsb-original...
```

```
<svg class="e-font-icon-svg e-fas-angle-down" viewBox="0 0 320 512" xmlns="http://www.w3.org/2000/svg" aria-hidden="true" data-acsb-force-hidden="true" ><path d="M143 352.3L7 216.3c-9.4-9.4-9.4-24.6 0-33.9l22.6-22.6c9.4-9.4 24.6-9.4 33.9 0l96.4 96.4..."
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-search" viewBox="0 0 512 512" xmlns="http://www.w3.org/2000/svg" data-acsb-force-hidden="true" ><path d="M505 442.7L405.3 343c-4.5-4.5-10.6-7-17-7H372c27.6-35.3 44-79.7 44-128C416 93.1 322.9 0 208..."
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-eicon-close" viewBox="0 0 1000 1000" xmlns="http://www.w3.org/2000/svg" data-acsb-force-hidden="true" ><path d="M742 167L500 408 258 167C246 154 233 150 217 150 196 150 179 158 167 167 167 154 179 150 196..."
```

```
<span class="swiper-notification" aria-atomic="true" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-left" viewBox="0 0 1000 1000" xmlns="http://www.w3.org/2000/svg" data-acsb-force-hidden="true" ><path d="M646 125C629 125 613 133 604 142L308 442C296 454 292 471 292 487 292 504 296 521 ..."
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-right" viewBox="0 0 1000 1000" xmlns="http://www.w3.org/2000/svg" data-acsb-force-hidden="true" ><path d="M696 533C708 521 713 504 713 487 713 471 708 454 696 446L400 146C388 133 375 125..."
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="32" height="32" viewBox="0 0 32 32" aria-hidden="true" data-acsb-force-hidden="true" ><g id="Group_132" data-name="Group 132" transform="translate(32) rotate(90)" ><circle id="Ellipse_12" data-name="Ell...
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="32" height="32" viewBox="0 0 32 32" aria-hidden="true" data-acsb-force-hidden="true" ><g id="Group_132" data-name="Group 132" transform="translate(0 32) rotate(-90)" ><circle id="Ellipse_12" data-name="...
```

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	Yes	2	0	100%
----	--	-----	---	---	------

Successful Elements

```
<figure class="elementor-image-box-img" role="none"><a href="https://www.elpomar.org/About-Us/museum-and-legacy-properties/will-rogers-shrine-of-the-sun/" data-acsb-scrape-url="https://elpomar.org/About-Us/museum-and-legacy-properties/will-rogers-...
```

```
<figure class="elementor-image-box-img" role="none"><a href="https://www.elpomar.org/About-Us/museum-and-legacy-properties/penrose-heritage-museum-1/" data-acsb-scrape-url="https://elpomar.org/About-Us/museum-and-legacy-properties/penrose-heritage...
```

22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
----	--	----	---	---	---

23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-
----	---	----	---	---	---

24	Form fields should either include an "aria-	Yes	3	0	100%
----	---	-----	---	---	------

field (email, phone, name, etc.).

Successful Elements

```
<input class="ctct-form-element" data-qe-id="form-input-email" id="email_address_0" type="email" name="email_address" value="" maxlength="80" aria-hidden="false" data-acsb-validation-uuid="email_address_0" data-acsb-field-visible="true" aria-requi...
```

```
<input class="ctct-form-element" data-qe-id="form-input-first-name" id="first_name_0" type="text" name="first_name" value="" maxlength="50" aria-hidden="false" data-acsb-validation-uuid="first_name_0" data-acsb-field-visible="true" aria-required="..."
```

```
<input class="ctct-form-element" data-qe-id="form-input-last-name" id="last_name_0" type="text" name="last_name" value="" maxlength="50" aria-hidden="false" data-acsb-validation-uuid="last_name_0" data-acsb-field-visible="true" aria-required="true..."
```

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	6	0	100%

Successful Elements

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-169400848985716
67-2" role="group" aria-hidden="true" aria-labelledby="sm-169400848985716
67-1" aria-expanded="false" style=";background-color:#ffffff!important;co
lor:#000000!important;" > <li ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-169400848985716
67-4" role="group" aria-hidden="true" aria-labelledby="sm-169400848985716
67-3" aria-expanded="false" style=";background-color:#ffffff!important;co
lor:#000000!important;" > <li ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-169400848985716
67-6" role="group" aria-hidden="true" aria-labelledby="sm-169400848985716
67-5" aria-expanded="false" style=";background-color:#ffffff!important;co
lor:#000000!important;" > <li ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-169400848986005
5-2" role="group" aria-hidden="true" aria-labelledby="sm-1694008489860055
-1" aria-expanded="false" style=";background-color:#ffffff!important;colo
r:#000000!important;" > <li cl...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-169400848986005
5-4" role="group" aria-hidden="true" aria-labelledby="sm-1694008489860055
-3" aria-expanded="false" style=";background-color:#ffffff!important;colo
r:#000000!important;" > <li cl...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-169400848986005
5-6" role="group" aria-hidden="true" aria-labelledby="sm-1694008489860055
-5" aria-expanded="false" style=";background-color:#ffffff!important;colo
r:#000000!important;" > <li cl...
```

29 [All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.](#)

Yes

Pass

-

100%

Successful Elements

```
<form class="ctct-form-custom" id="ctct_form_0" autocomplete="on" data-qe
-id="form-data" data-acsb-form-uuid="atydrmxvd9nd" data-acsb-form-type="s
tandard"> <div id="email_address_field_0" class="ctct-form-field"...
```

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
----	---	----	---	---	---

31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%
----	--	-----	------	---	------

Successful Elements

```
<title>Colorado Grant Making, Leadership & Community Programs - El Po  
mar Foundation</title>
```

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
----	--	-----	------	---	------

Successful Elements

```
<html lang="en-US" style="--acsb-keynav:3px;" id="acsb-light-contrast" cl  
ass="acsb-light-contrast"><head><meta http-equiv="origin-trial" content  
="Az520Inasey3TAyqLyojQa8MnmCALSEU29yQFW8dePZ7xQTvSt73pHazLFTK5f7SyLUJSO2  
uKLesEtEa9aUYcgmAAACPeyJvcmlnaW4i...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100%
----	--	-----	------	---	------

Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```


corresponding HTML5 element or include a description using an "aria-label" attribute

and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.

Successful Elements

```
<main id="content" class="site-main post-9467 page type-page status-publish hentry progress_status-ready-to-review" role="main" data-acsb-main="true"> <div class="page-content"> <div data-elementor-type="wp-page" data-elementor-id="9467" clas...
```

```
<footer class="elementor-element elementor-element-9517b82 z-third e-flex e-con-boxed default section-default-pad e-con " data-id="9517b82" data-element_type="container" data-settings="{&quot;background_background&quot;:&quot;classic&quot;,&quot;cont...
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
----	---	-----	------	---	------

36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
----	---	-----	------	---	------

37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	81	0	100%
----	--	-----	----	---	------

Successful Elements

```
<p class="cky-title " data-cky-tag="title" style="undefined" role="heading" data-acsb-fake-title="true" aria-level="6" data-acsb-original-style="color:#212121" acsb-original-style="color:#212121">We value your privacy</p>
```

```
<p >We use cookies to enhance your browsing experience, serve personalize  
d ads or content, and analyze our traffic. By clicking "Accept All", you  
consent to our use of cookies.</p>
```

```
<button class="cky-btn cky-btn-customize " aria-label="Customize" data-cky-  
tag="settings-button" style="undefined;background-color:transparent;bor-  
der-color:#1863dc;background-color:#ffffff!important" role="button" data-  
acsb-original-style="color:...
```

```
<button class="cky-btn cky-btn-reject " aria-label="Reject All" data-cky-  
tag="reject-button" style="undefined;background-color:transparent;border-  
color:#1863dc;background-color:#ffffff!important" role="button" data-acsb-  
original-style="color:#186...
```

```
<button class="cky-btn cky-btn-accept " aria-label="Accept All" data-cky-  
tag="accept-button" style="undefined;background-color:#1863dc;border-colo-  
r:#1863dc;background-color:#ffffff!important" role="button" data-acsb-ori-  
ginal-style="color:#FFFFFF;...
```

```
<span class="elementor-button-text " style=";background-color:#ffffff!imp  
ortant;color:#000000!important;">Read the 2022 Annual Report</span>
```

```
<span style=";background-color:#ffffff!important;color:#000000!important  
;">EN</span>
```

```
<span style=";background-color:#ffffff!important;color:#000000!important  
;">ES</span>
```

```
<span class="elementor-icon-list-text " style=";background-color:#ffffff!  
important;color:#000000!important;">Contact Us</span>
```

```
<span class="elementor-icon-list-text " style=";background-color:#ffffff!  
important;color:#000000!important;">Careers</span>
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
----	--	----	---	---	---

39 Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.

Yes

2

0

100%

Successful Elements

```
<div class="elementor-swiper-button elementor-swiper-button-prev " role="button" aria-label="Previous slide" aria-controls="swiper-wrapper-892c4b1365ffd33c" aria-hidden="true" > <svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-l...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next " role="button" aria-label="Next slide" aria-controls="swiper-wrapper-892c4b1365ffd33c" aria-hidden="true" > <svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-right...
```

40 A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.

No

0

0

-

41 Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.

No

0

0

-

42 Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.

No

0

0

-

43 If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".

No

0

0

-

TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.

45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100%
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	2	0	100%

Successful Elements

```
<iframe src="https://www.google.com/recaptcha/api2/anchor?ar=1&k=6LfHrSkUAAAAAPnKk5cT6JuKlKPzbwyTYu08--Vr&co=aHR0cHM6Ly93d3cuZWxwb21hcn5vcmc6NDQz&hl=en&v=Ht19TVw3TqONjP6bLnHfsWxg&size=invisible&b=cwcs9nncgnr4" width="256" hei...
```

```
<iframe src="https://www.google.com/recaptcha/api2/bframe?hl=en&v=Ht19TVw3TqONjP6bLnHfsWxg&k=6LfHrSkUAAAAAPnKk5cT6JuKlKPzbwyTYu08--Vr" name="c-9dafktt3ywyf" frameborder="0" scrolling="no" sandbox="allow-forms allow-popups allow-same-origin al...
```